S NCI	BI 🔐	014	40			Taxono Brows	my. ser		
Entrez	PubMed	Nucleotide	Protein	Ge	enome	Structure	PMC	Taxonomy	Books
Search for	A C. THE ST. STATE OF STREET	DIT TORRES ARRESTO, ARRESTO DE LA CASA CASA CASA CASA CASA CASA CASA C	Martinopiales	as	omplete	name 💹	☑ lock	Go Clear	
Display 3	levels	using filter:	none	DE ZELHER DER MARK				•	
□ Nucleotide	☐ Prot	ein 🞵 Structu	ıre □	Genom	е	☐ Popset	☐ SNP		
☐ 3D Domains	s 🗔 Don	nains 🗔 GEO 🛭	Datasets 🗔	GEO E	xpression	s 🗔 UniGen	e 🗔 UniST	S	
DubMed Ce	ntral 🗀 Gen	e 🗵 MapVi	ew 🗵	LinkOu	t	☑ BLAST	☐ TRAC	E	
Lineage (full): root; cellular organisms; Eukaryota; Fungi/Metazoa group; Fungi; Ascomycota;									
Pezizomycotina; Eurotiomycetes; Eurotiales; Trichocomaceae; mitosporic Trichocomaceae									
					,				

- Penicillium LinkOut Click on organism name to get more information.
 - Penicillium aculeatum LinkOut
 - Penicillium adametzii LinkOut
 - Penicillium adametzioides LinkOut
 - Penicillium aethiopicum LinkOut
 - Penicillium alberechii
 - Penicillium albocoremium LinkOut
 - Penicillium allii LinkOut
 - Penicillium amagasakiense LinkOut
 - Penicillium angulare
 - Penicillium arenicola LinkOut
 - Penicillium argillaceum LinkOut
 - Penicillium asperosporum LinkOut
 - Penicillium atramentosum LinkOut
 - Penicillium atrovenetum LinkOut
 - Penicillium aurantiogriseum LinkOut
 - Penicillium aurantiogriseum var. neoechinulatum LinkOut
 - Penicillium aurantiovirens LinkOut
 - Penicillium bilaiae LinkOut
 - Penicillium boreae
 - Penicillium brasilianum LinkOut
 - Penicillium brevicompactum LinkOut
 - Penicillium brocae LinkOut
 - Penicillium camemberti LinkOut
 - Penicillium canariense
 - Penicillium canescens LinkOut
 - Penicillium capsulatum LinkOut
 - Penicillium carneum LinkOut
 - Penicillium charlesii LinkOut
 - Penicillium chermesinum LinkOut
 - Penicillium chrysogenum complex

• Penicillium chrysogenum LinkOut

- Penicillium ciegleri LinkOut
- Penicillium cinerascens LinkOut
- Penicillium cinnabarinum · LinkOut
- Penicillium citreonigrum LinkOut
- Penicillium citrinum LinkOut
- Penicillium clavigerum LinkOut
- Penicillium commune LinkOut
- Penicillium coprophilum LinkOut
- Penicillium coralligerum LinkOut
- Penicillium cordubense LinkOut
- Penicillium corylophilum LinkOut
- Penicillium crateriforme LinkOut
- Penicillium crustosum LinkOut
- Penicillium cyaneum LinkOut
- Penicillium cyclopium LinkOut
- Penicillium daleae LinkOut
- Penicillium decaturense
- Penicillium decumbens LinkOut
- Penicillium dendriticum LinkOut
- Penicillium digitatum LinkOut
- Penicillium dimorphosporum LinkOut
- Penicillium dipodomyis LinkOut
- Penicillium discolor LinkOut
- Penicillium diversum LinkOut
- Penicillium donkii LinkOut
- Penicillium duclauxii LinkOut
- Penicillium echinulatum LinkOut
- Penicillium expansum LinkOut
- Penicillium fagi LinkOut
- Penicillium farinosum LinkOut
- Penicillium fellutanum LinkOut
- Penicillium freii LinkOut
- Penicillium funiculosum LinkOut
- Penicillium fuscum LinkOut
- Penicillium gamsii
- Penicillium geastrivorus
- Penicillium glabrum LinkOut
- Penicillium gladioli LinkOut
- Penicillium glandicola LinkOut
- Penicillium griseofulvum LinkOut
- Penicillium griseoroseum LinkOut

- Penicillium herquei LinkOut
- o Penicillium hirsutum LinkOut
 - Penicillium hirsutum var. hirsutum LinkOut
 - Penicillium hirsutum var. venetum LinkOut
- Penicillium hordei LinkOut
- Penicillium implicatum LinkOut
- Penicillium inflatum LinkOut
- Penicillium isariiforme LinkOut
- Penicillium islandicum LinkOut
- Penicillium italicum LinkOut
- Penicillium janczewskii LinkOut
- Penicillium janthinellum LinkOut
- Penicillium kojigenum LinkOut
- Penicillium lagena LinkOut
- Penicillium lividum LinkOut
- Penicillium luridum
- Penicillium madriti LinkOut
- Penicillium mali LinkOut
- Penicillium manginii LinkOut
- Penicillium marneffei LinkOut
- Penicillium megasporum LinkOut
- Penicillium melanoconidium LinkOut
- Penicillium melinii LinkOut
- Penicillium miczynskii LinkOut
- Penicillium minioluteum LinkOut
- Penicillium montanense LinkOut
- Penicillium nalgiovense LinkOut
- Penicillium namyslowskii LinkOut
- Penicillium neoechinulatum LinkOut
- Penicillium nordicum
- Penicillium oblatum LinkOut
- Penicillium ochrochloron LinkOut
- Penicillium olsonii LinkOut
- Penicillium oxalicum LinkOut
- Penicillium paneum LinkOut
- Penicillium paraherquei LinkOut
- Penicillium paxilli LinkOut
- Penicillium peoriense
- Penicillium phialosporum LinkOut
- Penicillium piceum LinkOut
- Penicillium pimiteouiense LinkOut
- Penicillium pinophilum LinkOut

- Penicillium piscarium LinkOut
- Penicillium pittii LinkOut
- Penicillium polonicum LinkOut
- Penicillium pseudocitrinum
- Penicillium pullum
- Penicillium pulvillorum LinkOut
- Penicillium punicae
- Penicillium purpurescens LinkOut
- Penicillium purpurogenum LinkOut
 - Penicillium purpurogenum var. rubrosclerotium
- Penicillium raciborskii LinkOut
- Penicillium radicum
- Penicillium raistrickii LinkOut
- Penicillium raperi LinkOut
- Penicillium resedanum LinkOut
- Penicillium restrictum LinkOut
- Penicillium riojabaense
- Penicillium rivolii LinkOut
- Penicillium rolfsii LinkOut
- Penicillium roquefortii LinkOut
- Penicillium roseopurpureum LinkOut
- Penicillium rubrisclerotium
- Penicillium rugulosum LinkOut
- Penicillium sabulosum LinkOut
- Penicillium sartoryi LinkOut
- Penicillium sclerocinereum
- Penicillium sclerotigenum LinkOut
- Penicillium sclerotiorum LinkOut
- Penicillium siamense LinkOut
- Penicillium simplicissimum LinkOut
- Penicillium skrjabinii LinkOut
- Penicillium solitum LinkOut
- Penicillium soppii LinkOut
- Penicillium spinulosum LinkOut
- Penicillium striatisporum LinkOut
- Penicillium subarcticum
- Penicillium sublateritium LinkOut
- Penicillium subspinulosum
- Penicillium sumatrense
- Penicillium swiecickii
- Penicillium tardum LinkOut
- Penicillium thiersii

- Penicillium thomii LinkOut
- Penicillium tricolor LinkOut
- Penicillium tubakii
- Penicillium turbatum LinkOut
- Penicillium urticae LinkOut
- Penicillium variabile LinkOut
- Penicillium velutinum LinkOut
- Penicillium venetum LinkOut
- Penicillium verrucosum LinkOut
- Penicillium verruculosum LinkOut
- Penicillium vinaceum LinkOut
- Penicillium viridicatum LinkOut
- Penicillium vulpinum LinkOut
- Penicillium waksmanii LinkOut
- Penicillium westlingii LinkOut
- Penicillium sp.
- Penicillium sp. 2-54
- Penicillium sp. 3
- Penicillium sp. 3-54
- Penicillium sp. 40
- Penicillium sp. 5/97-5
- Penicillium sp. 5a
- Penicillium sp. 8a
- Penicillium sp. AgI4
- Penicillium sp. AK96151
- Penicillium sp. CC54/5b
- Penicillium sp. CH
- Penicillium sp. CMW3918
- Penicillium sp. CMW3919
- Penicillium sp. CMW4168
- Penicillium sp. CMW4177
- Penicillium sp. CMW4202
- Penicillium sp. CMW4204
- Penicillium sp. CMW4213
- Penicillium sp. CMW8605
- Penicillium sp. CMW8606
- Penicillium sp. CMW8607
- Penicillium sp. CMW8608
- Penicillium sp. GI141
- Penicillium sp. GI224
- Penicillium sp. G1734
- Penicillium sp. IBT 12396

- Penicillium sp. IBT 12708
- Penicillium sp. KCTC16061
- Penicillium sp. KCTC16064
- Penicillium sp. KCTC16065
- Penicillium sp. KCTC16066
- Penicillium sp. KCTC16067
- Penicillium sp. KCTC16076
- Penicillium sp. KCTC16079
- Penicillium sp. KCTC16080
- Penicillium sp. KCTC16081
- Penicillium sp. KCTC16082
- Penicillium sp. KCTC16083
- Penicillium sp. KCTC16084
- Penicillium sp. KCTC16085
- Penicillium sp. KCTC16086
- Penicillium sp. KCTC16087
- Penicillium sp. KCTC16088
- Penicillium sp. KCTC16089
- Penicillium sp. KCTC16090
- Penicillium sp. KCTC16092
- Penicillium sp. KCTC6774
- Penicillium sp. NRRL 28161
- Penicillium sp. NRRL 28214
- Penicillium sp. NRRL 289215
- Penicillium sp. Po23
- Penicillium sp. Po29
- Penicillium sp. PoCDS3-3
- Penicillium sp. Re011124
- Penicillium sp. RMF 4011B
- Penicillium sp. RMF 4244
- Penicillium sp. RMF 6016
- Penicillium sp. RMF 7702
- Penicillium sp. RMF 8564
- Penicillium sp. RMF 8832
- Penicillium sp. SW071
- Penicillium sp. SW165
- Penicillium sp. SW224
- Penicillium sp. SW229
- Penicillium sp. SW246
- Penicillium sp. SW249
- Penicillium sp. TN-88
- Penicillium sp. WSF 420

Disclaimer: The NCBI taxonomy database is not an authoritative source for nomenclature or classification - please consult the relevant scientific literature for the most reliable information.

Comments and questions to info@ncbi.nlm.nih.gov


Credits: Mikhail Domrachev, Scott Federhen, Carol Hotton, Detlef Leipe, Vladimir Soussov, Richard Sternberg, Sean Turner.

[Help]

[Search]

[NLM NIH]

[Disclaimer]



Penicillium chrysogenum

Taxonomy ID: 5076

Rank: species

Genetic code: Translation table 1 (Standard)
Mitochondrial genetic code: Translation table 4

Other names:

synonym: Penicillium notatum

Lineage(full)

cellular organisms; Eukaryota; Fungi/Metazoa group; Fungi; Ascomycota; Pezizomycotina; Eurotiomycetes; Eurotiales; Trichocomaceae; mitosporic Trichocomaceae; Penicillium;

Penicillium chrysogenum complex

Entrez records				
Database name	Direct links			
Nucleotide	136			
Protein	168			
Structure	<u>5</u>			
Popset	3			
3D Domains	35			
PubMed Central	187			
Taxonomy	1			

External Information Resources (NCBI LinkOut)

LinkOut	Subject	LinkOut Provider
Penicillium chrysogenum	taxonomy/phylogenetic	Inday Fyrman
Penicillium notatum	taxonomy/phylogenetic	Index Fungorum
Penicillium chrysogenum	taxonomy/phylogenetic	TracPage
Penicillium notatum	taxonomy/phylogenetic	<u>TreeBase</u>

Note: Groups interested in participating in the LinkOut program should visit the <u>LinkOut home page</u>. A list of our current non-bibliographic LinkOut providers can be found here

Disclaimer: The NCBI taxonomy database is not an authoritative source for nomenclature or classification - please consult the relevant scientific literature for the most reliable information.

Comments and questions to info@ncbi.nlm.nih.gov

Credits: Mikhail Domrachev, Scott Federhen, Carol Hotton, Detlef Leipe, Vladimir Soussov, Richard Sternberg, Sean Turner.

[Help]

[Search]

[NLM NIH]

[Disclaimer]

SNCBI	Po		300	了 了		Taxono Brows	my ser		
Entrez _. Pub	Med N	lucleotide	Protein	G	ienome	Structure	РМС	Taxonomy	Books
Search for eupen	icillium sir	naicum	· ····································	as	complete	name 🔝	☑ lock	Go Clear	
Display 3	levels us	ing filter:	none	20.7.7.542002090007777777		•			
☐ Nucleotide	Protein	☐ Structur	re 🗇	Genor	ne	☐ Popset	☐ SNP		
☐ 3D Domains ☐ Domains ☐ GEO Datasets ☐ GEO Expressions ☐ UniGene ☐ UniSTS									
PubMed Central	∏ Gene	☑ MapVie	w 🛂 I	_inkOı	ıt .	☑ BLAST	☐ TRAC	E .	
Lineage (full): root; cellular organisms; Eukaryota; Fungi/Metazoa group; Fungi; Ascomycota;									
Pezizomycotina; Eurotiomycetes; Eurotiales; Trichocomaceae									

- Eupenicillium LinkOut Click on organism name to get more information.
 - Eupenicillium abidjanum LinkOut
 - Eupenicillium alutaceum LinkOut
 - Eupenicillium anatolicum LinkOut
 - Eupenicillium baarnense LinkOut
 - Eupenicillium bovifimosum LinkOut
 - Eupenicillium brefeldianum LinkOut
 - Eupenicillium catenatum LinkOut
 - Eupenicillium cinnamopurpureum LinkOut
 - Eupenicillium crustaceum LinkOut
 - Eupenicillium egyptiacum LinkOut
 - Eupenicillium ehrlichii LinkOut
 - Eupenicillium erubescens LinkOut
 - Eupenicillium hirayamae LinkOut
 - Eupenicillium inusitatum LinkOut
 - o Eupenicillium javanicum LinkOut
 - Eupenicillium javanicum var. javanicum LinkOut
 - Eupenicillium katangense LinkOut
 - Eupenicillium lapidosum LinkOut
 - Eupenicillium lassenii LinkOut
 - Eupenicillium levitum LinkOut
 - Eupenicillium meridianum LinkOut
 - Eupenicillium molle LinkOut
 - Eupenicillium ochrosalmoneum LinkOut
 - Eupenicillium osmophilum LinkOut
 - Eupenicillium parvum LinkOut
 - Eupenicillium pinetorum LinkOut
 - Eupenicillium reticulisporum LinkOut
 - Eupenicillium rubidurum LinkOut
 - Eupenicillium senticosum LinkOut
 - Eupenicillium shearii LinkOut

- Eupenicillium stolkiae LinkOut
- Eupenicillium terrenum LinkOut
- Eupenicillium tropicum
- Eupenicillium tularense LinkOut
- Eupenicillium zonatum LinkOut
- Eupenicillium sp. 05002

Disclaimer: The NCBI taxonomy database is not an authoritative source for nomenclature or classification - please consult the relevant scientific literature for the most reliable information.

Comments and questions to info@ncbi.nlm.nih.gov

Credits: Mikhail Domrachev, Scott Federhen, Carol Hotton, Detlef Leipe, Vladimir Soussov, Richard Sternberg, Sean Turner.

[Help]

[Search]

[NLM NIH]

[Disclaimer]



Your **Discoveries**Begin with US.

Search:	Choose Option	
	Cart	Þ

Home | Ordering Info | Technical Help | About ATCC | Contact Us

Search

Before submitting an order you will be asked to read and accept the terms and conditions of ATCC's Material Transfer Agreement (updated September 8, 2003).

Customers in Europe, Australia, Japan, Korea, New Zealand and Taiwan must contact a <u>local distributor</u> for pricing information and to place an order for ATCC cultures and products.

Fungi, Yeast, and Yeast Genetic Stock					
ATCC Number:	46604	Order this item	Price:	\$175.00	
Organism:	Eupenici	<i>illium sinaicum U</i> dagawa et	Ueda, teleomorph	,	
Designations:	NHL 2894		Isolation:	marine sludge, Suez Canal, Egypt	
Depositors:	NHL	NHL , .		ATCC< <nhl <<s.="" th="" ueda<=""></nhl>	
Biosafety Leve	<u>l</u> : 1		Shipped:	freeze-dried	
Growth ATCC medium: 334 Oatmeal ag Conditions: Temperature: 23.0 C					
Permits/Form	required ultimate		C material. Anyone the permits. Please		
Type Strain:	type strair (type stra			· · · · · · · · · · · · · · · · · · ·	
Subcollection:	Fungi				
References:	12776: Udagawa SI . A new Eupenicillium species with reticulately ornamented				

Notices and Disclaimers

ATCC products are intended for laboratory research purposes only. They are not intended for use in humans.

While ATCC uses reasonable efforts to include accurate and up-to-date information on this site, ATCC makes no warranties or representations as to its accuracy. Citations from scientific literature and patents are provided for informational purposes only. ATCC does not warrant that such information has been confirmed to be accurate.

All prices are listed in U.S. dollars and are subject to change without notice. A discount off the current list price will be applied to most cultures for nonprofit institutions in the United States and Canada. Cultures that are ordered as test tubes or flasks will carry an additional laboratory fee. Fees for permits, shipping, and handling may apply.

You may continue your word search in Fungi, Yeasts, & Yeast Genetic Stock by typing in your search criteria below or returning to the <u>Fungi</u>, <u>Yeasts</u>, <u>& Yeast Genetic Stock menu</u>. To search another product line, choose one from the dropdown box at the top. For complex searches using boolean operators, the following characters must be used: <u>&</u> (for AND), | (for OR), ^ (for AND NOT). An asterisk (*) is used as the wildcard. For more information

please review the <u>Search Help</u> .		
sinaicum	Word Search	Clear Search
For query options, please read the	search help.	

H me Page Archive

 $\frac{\text{Home}}{\text{Privacy Policy}} \underbrace{\frac{\text{Drdering Info}}{\text{Privacy Policy}} \underbrace{\frac{\text{About ATCC}}{\text{Drdering Info}}}_{\text{ATCC MTA}} \underbrace{\frac{\text{Contact Us}}{\text{Contact Us}}}_{\text{ATCC MTA}}$

© 2003 American Type Culture Collection (ATCC). All rights reserved.